

HEDIS® MEASURE

Breast Cancer Screening (BCS-E)



Measure Overview

The NCQA HEDIS® Breast Cancer Screening (BCS-E) measure evaluates the percentage of members 40 – 74 years of age who had a mammogram to screen for breast cancer.

Required Exclusions:

- Members who use palliative care services, hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year.
- Members 66 years of age and older with frailty and advanced illness during the measurement year.
- Members who had gender-affirming chest surgery with a diagnosis of gender dysphoria any time during the member's history through the end of the measurement year.
- Members who had a bilateral mastectomy or both right and left unilateral mastectomies any time during the member's history through the end of the measurement year.

Ways to Improve Measure Performance

- Educate members about the importance of early detection, discuss possible fears the member may have about mammograms and encourage screenings.
- Leverage EMR alerts by utilizing electronic medical record prompts to flag patients in the 40 – 74 age range.
- Identify and remind eligible members who are due or overdue for mammograms.
- Assist members with scheduling appointments and provide information about accessible imaging centers.
- Clearly document appropriate exclusions in the medical record.
- Provide timely submission of claims and use correct HEDIS® codes when billing for mammography.

Increased Breast Cancer Screening compliance contributes to improved member health outcomes and also may qualify for additional incentives through the PerformPlus® Gaps in Care Closure Program.

Description of Criteria

Description	Criteria
Mammography	CPT: 77061, 77062, 77063, 77065, 77066, 77067


Common Exclusions	Criteria
Absence of Left Breast	ICD-10: Z90.12
Absence of Right Breast	ICD-10: Z90.11
Bilateral Mastectomy	ICD-10: OHTV0ZZ
History of Bilateral Mastectomy	ICD-10: Z90.13
Unilateral Mastectomy	CPT: 19180, 19200, 19220, 19240, 19303-19307
Unilateral Mastectomy Left	ICD-10: OHTU0ZZ
Unilateral Mastectomy Right	ICD-10: OHTT0ZZ

Note: LOINC and SNOMED information can be captured through Electronic Clinical Data Systems (ECDS) feeds. The ECDS reporting standard represents a step forward in adapting HEDIS for QRS to accommodate the expansive information available in electronic clinical datasets used for patient care and quality improvement.

Please contact your Account Executive to discuss options for a direct data feed. Direct data feeds can improve provider quality performance and reduce the burden of medical record reporting.

HEDIS® MEASURE

Colorectal Cancer Screening (COL-E)



Measure Overview

The NCQA HEDIS® Colorectal Cancer Screening (COL-E) measure evaluates members 45 – 75 years of age who had appropriate screening for colorectal cancer.

Any of the following screenings meet criteria:

- Colonoscopy within the last 10 years
- Flexible Sigmoidoscopy within the last 5 years
- CT Colonography within the last 5 years
- Stool DNA (sDNA) with FIT test within the last 3 years
- Fecal Occult Blood Test (FOBT) within the last year

Required Exclusions:

- Members who use palliative care services, hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year.
- Members 66 years of age and older with frailty and advanced illness during the measurement year.
- Evidence of colorectal cancer or a total colectomy any time during the member's history through the end of the measurement year.

Medical Record Documentation

- Type of screening performed (e.g., colonoscopy, FIT)
- Date of the test
- Result of the test
- Clearly document appropriate exclusions in the medical record (e.g., history of total colectomy, hospice, advanced illness)
- Member refusals should also be documented

Ways to Improve Measure Performance

- Discuss the importance of early detection and encourage screening
- Recommend a different screening if a member refuses or can't tolerate a colonoscopy
- Flag members aged 45–75 in the EHR to prompt outreach
- Ask and record outside screenings (members often complete tests elsewhere)
- Use standing orders for FIT kits during annual wellness visits
- Educate members on test options and address barriers (prep, cost, transportation)
- Close gaps by reconciling external records into the chart before reporting

Description of Criteria

Description	Criteria
Colonoscopy	CPT: 44388, 44389, 44390, 44391, 44392, 44394, 44401, 44402, 44403, 44404, 44405, 44406, 44407, 44408, 45378, 45379, 45380, 45381, 45382, 45384, 45385, 45386, 45388, 45389, 45390, 45391, 45392, 45393, 45398 HCPCS: G0105, G0121
Flexible Sigmoidoscopy	CPT: 45330, 45331, 45332, 45333, 45334, 45335, 45337, 45338, 45340, 45341, 45342, 45346, 45347, 45349, 45350 HCPCS: G0104
CT Colonography	CPT: 74261, 74262, 74263
Stool DNA (sDNA) with Fit Lab Test	CPT: 81528
FOBT Lab test	CPT: 82270, 82274 HCPCS: G0328

Note: LOINC and SNOMED information can be captured through Electronic Clinical Data Systems (ECDS) feeds. The ECDS reporting standard represents a step forward in adapting HEDIS for QRS to accommodate the expansive information available in electronic clinical datasets used for patient care and quality improvement.

Please contact your Account Executive to discuss options for a direct data feed. Direct data feeds can improve provider quality performance and reduce the burden of medical record reporting.

HEDIS® MEASURE

Cervical Cancer Screening (CCS-E)



Measure Overview

The NCQA HEDIS® Cervical Cancer Screening (CCS-E) measure evaluates members ages 21–64 who are recommended for routine cervical cancer screening. Current guidelines recommend:

- **Ages 21–64:** Cervical cytology performed within the last 3 years.
- **Ages 30–64:** Cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- **Ages 21–64:** Cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last 5 years.

Required Exclusions:

- Evidence of a hysterectomy with no residual cervix, with documentation of hysterectomy type(s), e.g., “complete,” “total,” “radical,” “abdominal,” or “vaginal”.
- Cervical agenesis or acquired absence of the cervix.
- Members with sex assigned at birth of male at any time during the member’s history.
- Members who died during the measurement year.
- Members who use palliative care services, hospice services, or elect to use a hospice benefit any time during the measurement year.

Increased Cervical Cancer Screening compliance contributes to improved member health outcomes and also may qualify for additional incentives through the PerformPlus® Gaps in Care Closure Program.

Ways to Report CCS-E Compliance

- NaviNet Provider Portal: Patient Documents Section under Workflows for this Plan sidebar.
- Electronic data Sharing/Transfer options
- EHR sharing
- Secure fax (833) 329-0394 or email: ExchangeQualityDepartment@amerihealthcaritas.com.

MY2025 Prospective HEDIS Season Reminder

Documentation from other external member care team providers may be submitted to report compliance. Compliant medical records can be submitted until January 8th, 2026, during the MY2025 Prospective HEDIS season.

Ways to identify CCS-E Non-Compliant Member Populations

- NaviNet Provider Portal: Report Inquiry Section under Workflows for this Plan sidebar.
- NaviNet Provider Portal: Individually per member through Eligibility and Benefits Inquiry.
- Contact your Account Executive or the Exchange Quality Department at ExchangeQualityDepartment@amerihealthcaritas.com.

Ways to Improve Measure Performance

- Utilize routine and follow-up visits as opportunities to discuss the importance of Cervical Cancer Screening for all CCS-E eligible members, including pre-menopausal and post-menopausal member populations.
- Use available reporting to identify overdue members and encourage scheduling through reminder calls, portal messages, or other member outreach.
- Clearly document appropriate exclusions and include detailed CCS-E screening test results. Submit through approved pathways.

Description of Criteria

Description	Criteria
Cervical Cytology (Pap)	CPT: 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001
High-Risk HPV Testing	CPT: 87624, 87625, 87626, 0502U HCPCS: G0476
Absence of Cervix Diagnosis	ICD10CM: Q51.5, Z90.710, Z90.712
Hysterectomy With No Residual Cervix	CPT: 57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290, 58291, 58292, 58293, 58294, 58548, 58550, 58552, 58553, 58554, 58570, 58571, 58572, 58573, 58575, 58951, 58953, 58954, 58956, 59135

Note: LOINC and SNOMED information can be captured through Electronic Clinical Data Systems (ECDS) feeds. The ECDS reporting standard represents a step forward in adapting HEDIS for QRS to accommodate the expansive information available in electronic clinical datasets used for patient care and quality improvement.

Please contact your Account Executive or the Exchange Quality Management Department to discuss options for a direct data feed. Direct data feeds can improve provider quality performance and reduce the burden of medical record reporting.